



Washer extractors

High Spin washer extractors

## HIGH SPEED WASHER EXTRACTOR, LA-13 M E

DIMENSIONS		Article	Packed
Length	mm	790,00	830,00
Depth	mm	870,00	1.010,00
Height	mm	1.321,00	1.560,00
Weigth	Kg	250,00	283,00
Volumen	m3	0,91	1,31

**ELECTRICITY** 

 Electric power
 KW
 9,50

 230V -1+N
 OPC2x16+T-63A

230V - III 3x6+T -40 A 400V - III+N 4x2,5+T - 25 A

WATER

Water consumption (lit/h) 168,00
Pressure (Kg/cm2) 2 - 4

<u>GAS</u>

Not used

and softness).

Readiness for connection to liquid soap pumps (up to 4).

Set up 16 programs as factory standar with 42 posible variations.

Detergent dispenser with 4 compartments(prewash, wash, bleaching

HIGH SPEED WASHER EXTRACTOR, LA-13 M E

Safety door system.

Drum diameter: 620 mm.

Deepth drum: 430 mm.

Door miameter: 373 mm.

Made of stainless steel. Capacity: 13 Kg(1:10).

Electronic control by microprocessor.

Four digital display (7 LED segments). Phase program indicator by LED in progress.

Incorporate speed control for the motor. No need to anchorage to the floor.

Spin speed: 1.000 r.p.m.

G Factor: 350

Easy to attach automatic dosser dispenser at rear of machine.

Water consumption in program nº 2 60°: 168 litres.

Heating system: Electric. Elements heating power: 9 Kw.

Total power: 9,5 Kw.

Dimensions: 790 x 870 x 1.321 mm.

STEAM Not used

AIR Not used

LEVEL SOUND (dB) 60,00

Connections points	х	Υ	z	Diameter	Information
ELECTRICITY	108	0	1.022		0
DRAIN	269	0	80	2"	
COLD WATER	714	0	1.216	3/4"	
HOT WATER	554	0	1.196	3/4"	

